

## **QUOTATION**

DEALER: Reliable Emergency Vehicles

303 Industrial Blvd Comanche, Texas 76442 **CUSTOMER:** Demo

Sales Rep: Terms:

Drawing #:

Est. Delivery Date: //

Customer PO #: Penalty:

Customer #: QPF#:

Rev. Date: 03/25/2010

Quote No: Job/Order No: 4544 10111-0003

03/25/	/25/2010 Page 1				
QTY					
1	< == Type III Model 164 Commando - 9.600 10/26/09 ==				
4	OLIA DOID				
1	CHASSIS				
4	S < Chassis, 2010 Ford E-450SD Cutaway, 158" WB Diesel				
1	> Ford Chassis Standard Warranty - 3 Years/36,000 Miles				
	> Foru Chassis Standard Warranty - 3 Tears/30,000 Miles				
6	S > Conversion, Type III, Headroom, 74" LO 68"				
1	Conversion, Type III, Body Width, 96" (Standard)				
1	Conversion, Type III, Body Length, 164" (Standard)				
1	CHASSIS COMPONENTS AND ACCESSORIES				
1	OEM Supplied - Lug Wrench				
1	Running Boards, One (1) Pair ADP (Type III)				
1	< > Grip Strut Inserts in Running Boards IATS				
1	> Mirrors, Sail Mount, Velvac Heat/Motor/Turns STD- E-Series				
1	No Keyless Entry System Required				
1	< > Shock Absorbers, Bilstien HD Gas Charged ILOS, Front & Rear				
1	Front End Alignment, Chassis Pre-Delivery w/Printed Report				
1	> Sway Bar, Front, RoadMaster Brand				
1	> Sway Bar, Rear, RoadMaster Brand				
1	< Spare Tire				
1	Wheel Sims - Phoenix 16", Set of Four (4) Ford				
1	< > Air Fill Extensions, Rear Tires (16"), Phoenix "Air Max"				
1	AMBULANCE CONVERSION				
1	AIVIBULANCE CONVERSION				
1	2010 Conversion, Type III, Model 164 Commando				
1	MODULE CONSTRUCTION				
	WODGE GONGTION				
1	Roof Construction, 2x2's @ 12" o.c. (Standard)				
1	Wall Construction, 2x2's @ 12" o.c. (Type III)				
	, , , ,				

03/25/			Page 2
QTY	S	DESCRIPTION	
1		Walk-Thru, Type III, Hinged Door w/ Fixed Plexi Window ILOS	
1	_	< > Bulkhead Wall Moved Forward or Rearward From Standard	
1	S	> Floor Construction, Composite (No Wood) ILOS	
1		Body-to-Chassis Mounting, Type III (Standard)	
1		UNDERCOATING and INSULATION	
		ONDERGO, TING and INCOE, THON	
1		Undercoating, Underside of Module Floor (Standard)	
1		Insulation, Walls and Ceiling, 2" Fiberglass Batt (Standard)	
1		Insulation, Entry Doors, 1" Plank Foam (Standard)	
1	_	< Insulation, Floor, Spray Foam	
1	٠	Thermal Break for Ducted Heat/AC Option - (PN)	
1		EXTERIOR BODY TRIM and ACCESSORIES	
2		< Stone Guards, ADP, Front Wall (Standard)	
4		Corner Guards, Four (4) ADP w/ Corner Light Cutouts	
1		> Rub Rails, Skirt Line, One (1) Set "Premiere" Style ILOS	
1		Sill Trim, Skirt Line, One (1) Set ADP ILOS	
1		Fenderettes, One (1) Pair Stainless Steel (Standard)	
1		Fuel Fill Bezel, Cast Aluminum (Standard)	
1		< Fuel Fill Splash Guard, Brushed Stainless Steel	
1			
1	•	< > Rear Bumper Assembly, Kick-Up w/ Gas Struts (Std.)	
1		< Rear Bumper Flip-Up Step - Finish Rear Face w/ ADP ILOS	
1		Rear Riser, ADP (Standard)	
1		Bumper Guards, Rear, One (1) Pr. Solid Rubber, 16"w x 2.5"h	
1		License Plate Bracket, Recessed (Standard)	
2		Tow Eyes	
2		Tow Eyes Nuts	
2		Tow Eyes Box - Cast Products	
1		Tow Eyes, Rear, Chrome, One (1) Pr. in Cast Tow Eye Boxes	
1	_	< Mudflaps, Rear, One (1) Pair Rubber	
	`		
1		Mudflaps, Front, Included with Running Boards	
1	٠	< Grab Bar, Exterior, One (1) Mounted Next to Side Entry Door	
1		COMPARTMENT CONSTRUCTION and COMPONENTS	
1		< Streetside-Front Compartment, ADP (Std.)	
1			
1	٩	< Streetside #2 Compartment, ADP (Std.)	
1		No Streetside Wheelwell Compartment Required	
1		< > Streetside-Rear Compartment, ADP (Type III Std.)	
1		ALS Compartment Door (Standard)	
1	_	< Compartment, Curbside, for Battery Storage	
1			
1		< > Curbside-Rear Compartment, Smooth Alum., ILOS w/ Sweep-Out	
2	•	< > Compartment Size, Other Than Standard	
1		Side Entry Stepwell, Type III, ADP (Standard)	
1		< > Multispec Finish for Compartment(s) IATS	
2		< > L-Shape Backboard Holder	
	•		
1		Vertical Divider, Delete Standard from SS#1	
1		< Vertical Divider, Fixed, Smooth Alum. ILOS - CS-Rear Comp't.	
1	<	MultSpec Finish for Divider(s), Two Sides IATS	
1		< Adjustable Shelf in SS#2 (Standard)	
1		Compartment Adjustable Shelf Tracks (Standard)	
1		Slide-Out Tray, Floor Mount in Curbside Battery Compartment	
2		Plastic Tiles, Yellow ILO Black	
1		MODULE DOOR CONSTRUCTION and COMPONENTS	
7		Trimark , Chrome Exterior	
′		THINKIN, OHIOHIE LAGIOI	

03/25/		Page 3
QTY		
1	Trimark , Chrome Exterior	
1	Trimark , Chrome Exterior	
1	Trimark, Interior Locking	
1	Trimark, Interior Locking	
1	Trimark, Interior Non-Locking	
1	> Tri-Mark Exterior L-Rear Entry Door	
1	Extruded/Pan Formed Hybrid Doors (Standard)	
1	Compartment and Entry Door Latching Hardware (Standard)	
7	Compartment Door Handles, Trimark (Standard)	
1	< > Compartment Door Latch Adjustment Access Ports IATS	
1	Curbside Entry Door (Standard)	
1	Curbside Entry Door Handles, Tri-Mark	
1	Rear Entry Doors (Standard)	
1	Rear Entry Doors, Cast Grabber Door Checks (Standard)	
1	Rear Entry Door Handles, Tri-Mark	
1	Curbside Entry Door Closer - Gas Strut	
1	Entry Door Handle, Tri-Mark IATS	
1	< > Entry Doors, Latch Adjustment Access Ports IATS	
1	WINDOWS	
•	· · · · · · · · · · · · · · · · · · ·	
2	< WINDOW, 19" x 18" DARK TINT SLIDER	
2	WINDOW, 19" x 18" DARK TINT FIXED	
2	CLAMP RING - WINDOW 19" x 18" - 2.28" WALL	
	CLAMP RING - WINDOW 19 X 18 - 2.28 WALL  CLAMP RING - WINDOW 19" x 18" - 2.28" WALL	
2	CLAWP KING - WINDOW 19 X 18 - 2.28 WALL	
	Marita Office Development	
1	< Window, Side Entry Door, Upper	
2	< Window, Rear Entry Door, Upper	
1	MISCELLANEOUS BODY COMPONENTS	
1	INTERIOR FEATURES and COMPONENTS	
1	CEILING COMPONENTS	
1	< Grab Bar, Above Cot, 1.25" x 96" Stainless Steel (Standard)	
1	< > Grab Bar IATS, Ceiling, 1.25" x 96" Stainless Steel	
2	X < American Beauty Padding Grab Bar	
1	UPHOLSTERY	
1	< > Upholstery, Seamless Vinyl, Solid Color (Standard)	
1	S < Upholstery Color, Ash Gray & American Beauty	
1	< > Seat Cushions Attached To Seat Bases With Velcro ILOS	
1	< Padded Vinyl Trim (Standard)	
1	< > Padded Vinyl Trim - Sewn 45 Degree Corners ILOS	
1	FLOOR COVERING	
1	< Flooring, Lon Seal "Lon Plate II" (Standard)	
1	Flooring Color, "Lon Plate II", Mica #421	
1	SILL, SCUFF and COT WHEEL PLATES	
	Sizz, 600. 1 sind 60 1 111.	
1	< Floor Sill Plates, Brushed Stainless Steel (Standard)	
	1 1001 oiii 1 latoo, Brasiliou Stallioos Stool (Stallaala)	
1	ATTENDANT'S SEAT	
'	ATTENDANTOOLAT	
1	< > Attendant's Seat, Automotive Style	
1	< Attendant's Seat, Automotive Style < Attendant's Seat, Wise Child Safety w/3 pt. harness Seamless	
	- Americantes ocat, whice Orline Galety who pt. Harriess ocallices	

	03/25/2010 Page				
QTY	S		DESCRIPTION		
1			Attendant's Seat Base, Wise Swivel		
1	S	<	Squad Bench - Seat Base		
1			ENTRY DOOR FINISHES and COMPONENTS		
1			Entry Doors, Upper Liners, Aluminum w/ Multispec Face ILOS		
1			Entry Doors, Kick Plates, ADP (Standard)		
3			Entry Door Grab Bars, 1.25" x 12" S/S Straight Bar		
1			WALL MOUNTED GRAB BARS		
'			WALL MOONTED GRAD DARG		
			0   0   10   10   10   10   10   10   1		
1		< >	Grab Bar IATS, 1.25" x 12" Alum. w/ Rubber Inserts		
4			Latch - Swell Style for Console		
1			FRONT CONSOLE		
1		<	Console, Cab, Types I and III, MultiSpec Aluminum		
1	S	<	Drill 2 holes in Console for Dealer Supplied Cup Holders		
1			Battery charger is included in selected inverter		
1			ELECTRICAL FEATURES and COMPONENTS		
1			> 12 Volt Electrical System, V-MUX Multi-Plex		
2			12 Volt Electrical System, V-MoX Multi-Flex 12 Volt Recepts, Cigarette Lighter Style		
2		<	3		
1		<	order, runareg, manery operated, run res		
2			V-Mux, Hercules node		
1			V-Mux, Vista III Display Front		
1		<	, , , , , , , , , , , , , , , , , , ,		
1		<	V-Mux, Temperature Sensor		
1			V-Mux, Shunt Interface Module		
1			V-Mux, Capacitor for heat A/C thermostat		
1			12 VOLT POWER COMPONENTS		
1			Idle Control, OEM Electronic Throttle (Standard)		
1			12 Volt Load Center Location [J-Box] (Standard)		
1		>	> 12 Volt Elec. System, V-Mux Multi-Plex		
1			> Warning Light Sequencer System - V-Mux		
		\ _	Load Management System, V-Mux		
1					
1			Power Locks for Module Entry Doors		
6			Power Locks for Compartment Doors		
1			Remote Power Switch to Activate Cab & Module Door Locks		
1		<	Driver's Control Console Gauges (V-Mux)		
1		<			
1		<	Module Power Disconnect Switch, TST Remote (Std.)		
1			> Battery Charger/Converter, Pre-Wire (Type III)		
1		>	- Anti-Theft Device, Sound Off, Ignition Override		
1			12 Volt Recepts, Cigarette Lighter Style, Two(2)		
2			12 Volt Recepts, Cigarette Lighter Style, One (1)		
1		<			
1		>	> Clock, Analog, Battery Operated, Trin-Tec		
1			INTERIOR LIGHTING and COMPONENTS		
			INTERNOTE EIGHT INTO ANA GOMIN CITE.		
8			Dome lights, LED		
3			> Entry Door LED Warning Lights		
		< >			
1			No Additional Patient Compartment Dome Lights Required		
1			Dome lights, LED Eight (8)		
1			Timer, 60 Minute w/o Hold Feature		
1		< >	Cabinet Lighting, Surface Mount LED		
1		<	Light, Side Entry Stepwell, (1) Recessed 3.5" LED		

3/25/		U		Page !
<b>ΩΤΥ</b> 1	S	< >	DESCRIPTION  Entry Door LED Warning Lights	
·				
1		<	Action Area Light, Liteco 12" Pulsar Fluorescent  EXTERIOR LIGHTING and COMPONENTS	
'			EXTERIOR LIGHTING and COMPONENTS	
1	S	<	Exterior Lighting Requirements - General	
			DOT HOUTING	
1			DOT LIGHTING	
1			DOT Clearance and Marker Lighting, Type III Models	
1		<	Corner Lights Feature , (4) Lower Module Corners	
1			FRONT MODULE WALL EXTERIOR LIGHTING	
1			Lightbar, Front, None Required, Whel LED Warn. w/f	
1			Lightbar, Front, None Required  CAB / CHASSIS EXTERIOR LIGHTING	
- '			CAB / CHASSIS EXTERIOR LIGHTING	
1			Warn. Light, Grille, Pass. Side, Whel LED Warn. Ford E	
1			Warn. Light, Grille, Driver Side, Whel LED Warn. Ford E	
1			Warn. Light, Intersection, Pass Side, Whel LED Warn. 15° Warn. Light, Intersection, Driver Side, Whel LED Warn. 15°	
•			Warn. Light, intersection, briver clac, where LEB warn. To	
1			REAR MODULE WALL EXTERIOR LIGHTING	
1			Lightbar, Rear, None Required, Whel LED Warn. w/f	
1			Lightbar, Rear, None Required	
1			ARROW LIGHTBARS	
1			No Arrow Bar Required	
'			No Allow Ball Required	
1			Grille Bezel, E-Series Ford, Pass. Side	
1			Grille Bezel, E-Series Ford, Driver Side Intersection Bezel, Polished Aluminum w/ 15° Tilt E / Pass.	
1			Intersection Bezel, Polished Aluminum w/ 15 * Tilt E / Pass.  Intersection Bezel, Polished Aluminum w/ 15 * Tilt E / Driv.	
4			Corner Light Bezel	
1			Warn. Light, Front Passenger Side, Whel LED w/f Warn. Light, Front Center, Whel LED w/f	
1			Warn. Light, Front Driver Side, Whel LED w/f	
1			Warn. Light, Rear Passenger Side, Whel LED w/f	
1			Scene Light, Rear Passenger Side, Whell w/f	
1			Warn. Light, Rear Center, Whel LED w/f Scene Light, Rear Driver Side, Whel w/f	
1			Warn. Light, Rear Driver Side, Whel LED w/f	
1			STOP, TAIL, TURN, AND BACKUP LIGHTING	
1		<	T/B/T/BU Lights, Whelen,4x6,LED,single turns,w/f	
·				
1			CURBSIDE MODULE WALL EXTERIOR LIGHTING	
1			Warn. Light, CS Front, Whel LED w/f	
1			Scene Light, CS Front, Whel w/f	
1			Scene Light, CS Rear, Whel w/f	
1			Warn. Light, CS Rear, Whel LED w/f	
1			STREETSIDE MODULE WALL EXTERIOR LIGHTING	
1			Warn. Light, SS Front, Whol wift	
1			Scene Light, SS Front, Whel w/f Scene Light, SS Rear, Whel w/f	
1			Warn. Light, SS Rear, Whel LED w/f	

03/25/		U		Page 6
QTY	S		DESCRIPTION	أكالم
	,,		W. J. JED 041 J114	
12	X	<		
1			Whelen,3x7,Red,LED, Clear Lens,w/o flange	
1			Whelen,3x7,Red,LED, Clear Lens,w/o flange	
2			Whelen,4x6,Red,LED, Clear Lens,w/ flange	
2			Whelen,4x6,Red,LED, Clear Lens,w/ flange	
1			Whelen,4x6,Clear,LED, Clear Lens,w/ flange	
2			Whelen,4x6,Clear,LED, Clear Lens,w/ flange	
2			Whelen,4X6,Amber,Turn LED,w/ flange	
2			Whelen,4X6,Red,Brake/Tail LED,w/ flange	
2			Whelen,4X6,Clear,Backup LED,w/ flange	
1			Whelen,7x9,Red,LED, Clear Lens,w/ flange	
1			Whelen,7x9,Red,LED, Clear Lens,w/ flange	
1			Whelen,7x9,Red,LED, Clear Lens,w/ flange	
1			Whelen,7x9,Red,LED, Clear Lens,w/ flange	
1			Whelen,7x9,Red,LED, Clear Lens,w/ flange	
1		_	Whelen,7x9,Red,LED, Clear Lens,w/ flange Whelen,7x9,Red,LED, Clear Lens,w/ flange	
2		<		
1			Whelen,7x9,Amber,LED, Clear Lens,w/ flange Whelen,7x9,Clear LED,Scene,w/ flange	
1			Whelen,7x9,Clear LED,Scene,w/ flange	
1			Whelen,7x9,Clear LED,Scene,w/ flange	
1			Whelen,7x9,Clear LED,Scene,w/ flange	
2			Whelen,7x9,Clear LED,Scene,w/ flange	
2			Whelen,7x9,Clear LED,Scene,w/ flange	
1			Whelen,500 series TIR6	
1			Whelen,500 series TIR6	
7			DOT Clearance and Marker Lighting RED	
6		<		
7			DOT Clearance and Marker Lighting AMBER	
6		<		
2			Whelen, 4x6 Chrome Flange	
2			Whelen, 4x6 Chrome Flange	
2			Whelen, 4x6 Chrome Flange	
2			Whelen, 4x6 Chrome Flange	
2			Whelen, 4x6 Chrome Flange	
2			Whelen, 4x6 Chrome Flange	
1			Whelen, 4x6 Chrome Flange	
2		<	, <del>J</del> <del>J</del> -	
1		<	, <del>J</del> <del>J</del> -	
1		<	, <del>J</del> <del>J</del> -	
2		<	, <del>J</del> <del>J</del> -	
1		<		
1		<	, <del>-</del>	
1		<		
1		<	, <del>-</del>	
1		<		
1		<	, <del>J</del> <del>J</del> -	
1		<	, <del>J</del> <del>J</del> -	
2		<	, <del>J</del> <del>J</del> -	
1		<	, <del>-</del>	
1		<	, <del>-</del>	
1			License Plate Light, LED	
1			Deutsch water proof connector	
1			Deutsch water proof connector	
1			Deutsch water proof connector	
1			Deutsch water proof connector	
2			Deutsch water proof connector	
2			Deutsch water proof connector  Deutsch water proof connector	
			Doubon water proof connector	

03/25/2			Page 7
QTY	S	DESCRIPTION	
1		WARNING LIGHT and HEADLIGHT FLASHERS	
		Warning Light Flacker, Delete	
1		Warning Light Flasher, Delete	
1		STROBE POWER SUPPLIES	
1		AUXILIARY LIGHTING	
		//O/ILI/IKT LIGHTING	
5		> Compartment Lights, 4" Recessed LED ILOS	
1 2	<		
		Running Board Light, LLB, (1) Fall 4 Recessed	
1		REFLECTORS	
4	_	1" x 4" Reflector - Red (standard)	
		1 X4 Noncolor Neu (Standard)	
1		AUDIBLE WARNING DEVICES	
1		Refer to Chassis Section Above for Correct Siren Speakers	
1	<	'	
2	<	7 2 2	
1		Back-up Alarm, 90 dBa (Standard) Siren, Carson SA-441 "Magnum" (all consoles)	
1		Siren Speakers, Ford E-Series	
1		COMMUNICATION PROVISIONS AND EQUIPMENT	
1	;	> Antenna Base, Coax, Power and Ground Wires (Standard)	
2	;	> Antenna Base, Coax(es), Power and Ground Wires IATS	
1		Back-Up Camera System - Weldon V-Mux	
1		ENVIRONMENTAL SYSTEMS AND COMPONENTS	
		E E 40/. El	
2 2		Exhaust Fans, 12V Blower Cowl Vent - 4" Polished	
1		Heat / AC Pro Air #935 12v Ducted Combo System	
1	<	Heat / AC Water Valve	
8		Heat / AC Duct Adapters Heat / AC Ducted Vents	
8 8		Heat / AC Ducted Vents Heat / AC Ducted Vent Retainers	
8		Heat / AC Ducted Vent Adapter	
1		Heat / AC Ducting	
1 1		Heat / AC Plenum Heat / AC Face Plate	
1		Heat / AC Pad	
1	S	Auxiliary AC Condensor, Pro Air Roof Mount	
1 1	<	Heat / AC, Pro Air Ducted Combo System Heat / AC, Combo System Installed Above Walk/Pass-Thru	
1	S < :	> Dometic Duo Therm Cool Cat Ht Pump	
1	S	Auxiliary AC Condensor, Pro Air Roof Mount	
1 1	S	Thermostat, Part of the V-mux system Exhaust Fans, Dual 12V Blowers (Standard)	
		Extradect and, Dadi 12 v Dioword (Otanidara)	
1		110 VOLT WIRING AND COMPONENTS	
3	<	Recepts, Interior 110V AC Hospital Grade Duplex	
1	<	'	
1	<	110 Volt AC Wiring And Components, Type II and III	

03/25/		J	Pag	JC 0
<b>QTY</b> 1	S	< > Shoreline, 20A Kussmaul "Super Auto-Eject" < > Shoreline, 20A Kussmaul "Super Auto-Eject"	DESCRIPTION	
1 1		> Inverter, Pre-Wire (Standard) Refer to Part #31-20-xxxx for Specific Inverter	Information	
1	S	Value of the control of the contr		
1	S	< > J-Box Door, Angled ILOS CABIN	IET CONSTRUCTION	
1	S	> Interior Cabinetry, Alum. Structure		
1	S	Multispec Color: MS99-6075	EILING FINISHING	
1		< Headliner, Patient Compartment, Aluminum		
1			L (J-BOX) CONSTRUCTION	
1		< > Electrical (J-Box) Door, Angled ILOS		
1			ALS CABINET	
1		ALS Cabinet - Standard Configuration		
1		< Glove Box Cabinet, Three Hole Design Above SQUAD BE	ENCH and COMPONENTS	
1	S	Squad Bench Base, Aluminum Construction (Floor Cove, 3" Recessed at Squad Bench Ris		
1	S S	< > Scuff Plate, Mirror S/S, Squad Bench Riser, Is< > Scuff Plate, Mirror S/S, Squad Bench Riser, F		
1	S	< Squad Bench Lid, Single, Aluminum < > Trash Disposal, Recessed At Head Of Squad		
1 1	S	Safety Web At Forward End of Squad Bench t Post and Wheel Cups Installed on Squad Ben No Dry Erase Writing Board Required		
1		< > Cabinet Above Squad Bench		
1		< Cabinet Above Rear Doors IATS STRE	ETSIDE CABINETRY	
1		Streetside Cabinetry - Standard Configuration < Glove Box Cabinet IATS, Three Hole Design L	Lower Streetside	
1	S	< > Scuff Plate IATS, Mirror S/S, Lower Streetside	Cabinet Wall CPR SEAT	
1		Refer to Part #14-25-xxxx for CPR Seat Const < CPR Seat w/ Hinged Backrest and Seat	ruction Info.	
1		< > Cabinet Above CPR Seat ACTION / MONITO	OD DEEID ADEA COMPONIENTS	
1		ACTION / MONITO < > Countertop, Action Area, Solid Surface Materia	OR-DEFIB. AREA COMPONENTS	
1		Countertop, Action Area, Solid Surface Mater < > Countertop, Monitor/Defib, Solid Surface Mater Solid Surface Countertop Color - Midnight		
1 1	S	Solid Surface Countertop Color - Midright Pull-Out Drawer Under AA > Locking Drug Box Cabinet IATS		
1			d SHELVING COMPONENTS	
		3.122V23 dil		

03/25/		U		Page 9
QTY	S		DESCRIPTION	
1		_	Cabinet Shelves, .125" Aluminum	
1	s		Sabinet Shelves, 1723 Admindm  Cabinet Shelf Track, Unistrut Aluminum	
•		, ,		
1			DIVIDERS	
1			CABINET DOORS and DRAWERS	
4			0.13 · (D. · · · 0 · · · · 1/// 1.6 · )	
3			Cabinet Doors, General (Korlyte) Cabinet Door(s) Hinged Restock ILO Sliding Plexi.	
1			Addtional Cabinet Door(s) Picture Frame Korlyte	
1			> Plexiglas Color, Clear	
1			Door/Drawer Latch, Southco M1 S/S - Locking	
1	S	< >	Door/Drawer Latch, Southco Trigger Style, Chrome, Locking	
1			Door/Drawer Latch, Southco Trigger Style Chrome, NonLocking	
1			KKK Compliancy Regarding Overhead Cabinetry	
1		<	KKK Compliancy Regarding Overhead Cabinetry	
1			MEDICAL SYSTEMS and COMPONENTS	
1			On-Board Cylinder Lift, ZICO for "H" Cylinder	
1		< >	Electric Oxygen System	
1			Oxygen Regulator with Transducer	
2			Oxygen Outlets, Ohio Style Quick Disconnect	
1		<	Oxygen Outlets, Ohio Style Quick Disconnect	
2 2			Vacuum Outlet, Ohio Style Vacuum Pump, Gast	
2			IV Hangers, Cast Products Recessed in Ceiling	
1		<	<u> </u>	
1		<		
1			Sharps Container Bracket 5-Quart	
1			OXYGEN SYSTEM and EQUIPMENT	
1			Owigen System Coneral	
1		- >	Oxygen System - General - On-Board Oxygen Cylinder Lift, ZICO for "H" Cylinder ILOS	
1		` _	Oxygen Cylinder Wrench (Standard)	
1		>	Oxygen Outlets, Ohio Style Quick Disconnect	
1		>	- Oxygen Outlets, Ohio Style Quick Disconnect IATS	
1			Electric Oxygen System - w/V-Mux Display	
1			MEDICAL AID SYSTEM and FOLUDIATRIT	
1			MEDICAL AIR SYSTEM and EQUIPMENT	
1			No On-Board Medical Air System Required	
			-, -, -, -, -, -, -, -, -, -, -, -, -, -	
1			VACUUM SYSTEM and EQUIPMENT	
2			Vacuum Outlet, (1) Ohio Style in Action Area (Standard)	
2		<	Vacuum Pump, Gast (Standard Types I and III) Vacuum, Aspirator, RICO RS4X Disposable (Standard)	
1			IV SYSTEM and EQUIPMENT	
1			IV Hangers, Cast Products Recessed in Ceiling (Standard)	
			DIO WAOTE CONTAINED	
1			BIO-WASTE CONTAINERS	
1			Sharps Container, Mail Box Style, 5-Quart w/ Wire Bracket	
1			S Trash Container, Mail Box Style, 5-Quart W/ Wife Bracket  Trash Container, 2 Gallon, Installed	
			Tradit Comanion, 2 Canon, indianoa	
1			COT AND STRETCHER EQUIPMENT	

03/25/2 QTY		Page 10
1	PRIMARY COTS	
1	No Patient Cot Required	
1	COT FASTENERS	
1	Cot Fastener, Ferno-Washington 175-4 Dual Position	
1	Cot Mounts, Set for FW Model 29 or 93 - Side and Center STRETCHERS and EQUIPMENT	
1	DECALS and LETTERING	
1	K-SPEC LETTERING	
1	< > Decals, K-Spec Lettering (Standard - Shipped Loose) STAR-OF-LIFE DECALS	
1	< > Decals, Star-of-Life Package (Ship Loose - Install Roof SOL) CUSTOM DECALS	
1	< > Decals, "Marque" Logo for Demos CUSTOM LETTERING	
1	DECAL STRIPING	
1	PAINT	
1	MODULE PAINT	
1	< Paint, Module, PPG - White (Standard)	
1	CHASSIS PAINT	
1	PAINT STRIPING	
1	Paint Stripe, Beltline, Delete (no paint stripe desired)	
1	MISCELLANEOUS EQUIPMENT and COMPONENTS	
1 1 1 1 1	<ul> <li>Stretcher Strap, Exterior Compartment (Standard)</li> <li>&gt; Equipment Strap(s), Seat Belt Style IATS</li> <li>Interior Safety Signs (Standard)</li> <li>Battery Compartment Warning Sign (Standard)</li> <li>Owner's Manual / Equipment Packet / OEM Manual</li> <li>Fuel Surcharge</li> </ul>	
1	WARRANTIES	
1 1 1	> Warranty, Ambulance Module Structure > Warranty, Ambulance Conversion Electrical > Warranty, Ambulance General Conversion	

03/25/20	010		Page 1
03/25/20 QTY	8	DESCRIPTION	
1	> Warranty, Modular Body Paint		